



## Early Journal Content on JSTOR, Free to Anyone in the World


This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.


We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.


JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).



F.1. *Friday Oct. 11<sup>th</sup> at 7. in the Evening.*



F.2. *Sunday Oct. 13<sup>th</sup> at 6. ditto*




F.3. *Tuesday Oct. 15<sup>th</sup> at 6. ditto.*

*Supposing the  
Moon to be of this  
Diameter, the Comet  
Seem'd to me to be in  
proportion to this Circle;  
as above delineated.*

*Fig. 4.*



*Fig. 5.*



nels of a small Star; from the Comparison of which with the Tail the Brightness of the latter may in some sort be collected: The Tail appear'd sharper, and not so much spread in the two following Observations, and in the last did not exceed one third Part of the first Length; it was then of a much darker Colour, which made the Difference between that and the Head more observable, the Head yet appearing sufficiently bright. For some following Nights his Lordship's Observations were interrupted by cloudy Weather, after which the Comet was so far diminish'd, as only to be known by its Motion, its Appearance being no ways distinguishable from that of a small nebulous Star.

---

III. *Observatio ejusdem Cometæ ab Illustrissimo Domino Francisco Bianchini habita Albani Mense Octobri, 1723. & ab eodem Ulyssipponem missa P. Joanni Baptistæ Carbone Soc. J. E. S. U. Communicavit Isaacus Samuda, M. D. Col. Med. Lond. L. S. R. S.*

**D**I E 17 *Octobris*, postquam Jovialium Comitum situm observassem fortè in Constellationem *Capricorni* oculos conieci; cumque astra singula percurrerem, in quamdam veluti nebulosam stellam incidi, cæteris sane grandiolem, quam tamen ibidem loci numquam antea observaram. Rei novitate perscrutaturus, eo Telescopium direxi, statimque Cometen esse deprehendi; siquidem tenuissimæ nebulae globus apparuit, ejusque in medio veluti lucidus nucleolus. Idem quoque nudis oculis discernere licuit; & præ-

ter nebulam, seu Cometæ atmosphæram, brevem quoque caudam, quæ ad orientem vergebat, eratque hujusmodi. [ *Fig. 4.* ]

Ne me igitur ea occasio præteriret, consuetas circa illum observationes institui, ut ejus Longitudinem, Latitudinem, propriumque motum deprehenderem.

Et quidem prima nocte, die nempe 17. supradicta, transiit per Meridianum (quî penè cum Romano coincidit) circa horam septimam 44' post Merid. ejusque distantia à Zenith,  $69^{\circ} 29'$ .

Hora 8. 11' 30'' distantia Cometæ à *Fomalhaut Aquarii*, intercepta est,  $20^{\circ} 33'$  & hora 8. 17' 30'' distabat à Stella  $\beta$  in humero dextero *Aquarii*,  $21^{\circ} 8'$ . Proindeque versabatur Cometes in  $11^{\circ} 54'$ . *Aquarii*, cum Latitudine Australi ab Ecliptica  $11^{\circ} 10'$  circiter.

Die 21. erat adeo proximus Stellæ  $\epsilon$  in Lino supra manum sinistram *Aquarii*, quàm ipsa  $\epsilon$  est proxima Stellæ  $\mu$  minori in eodem Lino, constituebatque Cometes cum utraque Stella  $\epsilon$ ,  $\mu$  rectam Lineam, sic [ *Fig. 5.* ] Ex hac igitur observatione, & ex Ascensionis rectæ nec non declinationis differentiâ inter Cometen, & supradictam Stellam  $\epsilon$  quam diligentissime observavi, infertur locus Cometæ fuisse in  $6^{\circ} 45'$ . *Aquarii* cum Latitudine Boreali ab Eclipt.  $8^{\circ} 5'$ .

Hinc etiam infertur qualis Cometæ motus proprius fuerit, & quale iter ; per planum scilicet circuli maximi secantis Eclipticam in gradu 9 *Aquarii*, & constituentis cum eadem Ecliptica angulum 80 graduum circiter.

Reliquis diebus eadem semper proportionem movebatur, magisque in dies elongari à terra visus est.

Parak-

Parallaxim nullam sensibilem, etsi pluries intenterim, deprehendere potui; proindeque maxima ejus distantia à terra credenda est.

Hactenus Illustrissimus Dominus *Franciscus Bianchini* in Mathematicis Scientiis apprime eruditus, & in observando, quoad noverim, accuratissimus. Ejus observatio à nostra, mea scilicet, ac Prioris Dominici *Capassi* vix in uno aut altero minuto quoad latitudinem discrepavit, cæterum omninò conformis. Quapropter nec illam hic arbitror apponendam.

---

IV. *Observations about Wasps, and the Difference of their Sexes. By the Reverend Mr. Derham, F. R. S. Prebendary of Windsor.*

IN the Beginning of *July* last 1723. having frequent occasion to be on the Top of our *Collegiate Chapel* in *Windsor Castle*, I observed many *Wasps* flying about it, and particularly frequenting a Covering of Deal Boards, and the Pieces of Timber lying on the Leads. I took notice that most of these *Wasps* were of a larger sort than usual, and thought they came thither to gnaw the Wood, and to carry it away in Mouthfuls to build their Nests; the Artifice of which I have taken notice of in my *Phys. Theol.* particularly *B. 4. ch. 11. note 21. and chap. 13. not. 12.* But having caught some of them, and amongst the rest a large *Queen-Wasp* (which sort of Wasp, by the by, never engages in any Labours of the Colony) I began to be more strict in my Observations; and on *July 6.* I observed a Cluster of only three *Wasps* closely embracing each other; one of which was a large *Female*